

Test Report

No. C230224036001-1

Date: Mar 06, 2023

Page 1 of 10

Applicant: Shenzhen Baseus Technology Co., Ltd.

Applicant address: 2nd Floor, Building B, Baseus Intelligence Park, No. 2008, Xuegang Rd, Gangtou Community, Bantian Street, Longgang District Shenzhen

The following samples were submitted and identified on behalf of the clients as

Sample Name: Please refer to next page(s).
Model: Please refer to next page(s).
Model/Type reference: Please refer to next page(s).
Sample Quantity: 2
CPST Internal Reference No.: C230224036
Sample Received Date: Feb 24, 2023
Test Period: Feb 24, 2023 to Mar 06, 2023
Test Method: Please refer to next page(s).
Test Result: Please refer to next page(s).

Signed on behalf of
Eurones (Dongguan) Consumer Products Testing Service Co., Ltd



WRITTEN BY :

REVIEWED BY:

APPROVED BY:

Fair LuLu Jian Fei, Fair
Report writerSunshine LiuLiu Xiao Fang, Sunshine
Report ReviewerWill PanPan Jian Ding, Will
Technical Supervisor

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd. Tel: (86-769) 38937858 Fax: (86-769) 38937859 Http://www.cpstlab.com
Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China Postcode: 523945 E-mail: service@cpstlab.com

CONCLUSION :





TESTED SAMPLES	TEST ITEM	RESULT
Baseus high Speed Six types of RJ45 Gigabit network cable	1.RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863 — Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content	PASS
Baseus high Speed Seven types of RJ45 10Gigabit network cable	—Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate(DIBP) Content	PASS
Baseus high Speed Six types of RJ45 Gigabit network cable		

Sample Name:	Baseus high Speed Six types of RJ45 Gigabit network cable Baseus high Speed Seven types of RJ45 10Gigabit network cable Baseus high Speed Six types of RJ45 Gigabit network cable
Model:	PCWL-AF01
Model/Type reference:	PCWL-AG01、PCWL-Q01、PCWL-R01、PCWL-S01、PCWL-AH01、PCWL-T01、 PCWL-AI01、PCWL-U01、PCWL-V01、PCWL-AJ01、PCWL-AK01、 WKJS000301、WKJS010001、WKJS010101、WKJS010201、WKJS010301、 WKJS010401、WKJS010501、WKJS010601、WKJS010701、WKJS010801、 WKJS010901、WKJS011001、PCWL-C01、PCWL-D01、PCWL-W01、 WKJS000001、WKJS000101、WKJS000201、PCWL-E01

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.




2. Test Item Description And Photo List

Sample No.	Description	Photograph
001	Black soft plastic	
002	Golden metal	
003	Colorless transparent plastic	
004	Silvery metal with golden plating	
005	Coppery metal wire	
006	Silvery metal	
007	Silvery metal foil	
008	Coffee plastic (wire jacket)	
009	Green plastic (wire jacket)	
010	Blue plastic (wire jacket)	
011	Orange plastic (wire jacket)	
012	White plastic with coffee printing (wire jacket)	
013	White plastic with green printing (wire jacket)	
014	White plastic with blue printing (wire jacket)	
015	White plastic with orange printing (wire jacket)	
016	Coppery metal (wire core)	
017	Black plastic (wire jacket)	
018	Coppery metal (wire core)	
019	White fiber (wire core)	
020	Coffee plastic (wire jacket)	
021	Blue plastic (wire jacket)	
022	White plastic (wire jacket)	
023	Green plastic (wire jacket)	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Description	Photograph
024	Orange plastic (wire jacket)	
025	Black plastic (wire jacket)	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3. Test Results

3.1 Screening test for the specified hazardous substances of RoHS for the selected materials of the submitted sample:

- Heavy Metal (Cadmium, Chromium, Mercury, Lead) Content Test
- Bromine Content Test

According to IEC 62321-3-1:2013, and Quantification analyzed with Energy Dispersive X-ray Fluorescence Spectrometers.

Sample No.	Total Cadmium	Total Lead	Total Mercury	Total Chromium	Total Bromine
Sample 001	BL	BL	BL	BL	BL
Sample 002	BL	BL	BL	BL	N.A.
Sample 003	BL	BL	BL	BL	BL
Sample 004	BL	BL	BL	BL	N.A.
Sample 005	BL	BL	BL	BL	N.A.
Sample 006	BL	BL	BL	BL	N.A.
Sample 007	BL	BL	BL	BL	N.A.
Sample 008	BL	BL	BL	BL	BL
Sample 009	BL	BL	BL	BL	BL
Sample 010	BL	BL	BL	BL	BL
Sample 011	BL	BL	BL	BL	BL
Sample 012	BL	BL	BL	BL	BL
Sample 013	BL	BL	BL	BL	BL
Sample 014	BL	BL	BL	BL	BL
Sample 015	BL	BL	BL	BL	BL
Sample 016	BL	BL	BL	BL	N.A.
Sample 017	BL	BL	BL	BL	BL
Sample 018	BL	BL	BL	BL	N.A.
Sample 019	BL	BL	BL	BL	BL
Sample 020	BL	BL	BL	BL	BL
Sample 021	BL	BL	BL	BL	BL
Sample 022	BL	BL	BL	BL	BL
Sample 023	BL	BL	BL	BL	BL
Sample 024	BL	BL	BL	BL	BL
Sample 025	BL	BL	BL	BL	BL

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Note:

1. All Concentrations express in "mg/kg" (milligram per kilogram), mg/kg ~ ppm
2. "OL" denotes "over limit"
3. "BL" denotes "below limit"
4. "N.A." denotes "Not Applicable"
5. "Inconclusive" denotes result is intermediate between "OL" and "BL"
6. "A" denotes the screening result was inconclusive(X) or over limit (OL), thus further confirmation test was conducted, results are listed in 3.2 and 3.3.

XRF screening limits for different materials:

Materials	Concentration (mg/kg)				
	Cd	Cr	Pb	Hg	Br
Metal	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	N.A.
Polymers	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (300-3\sigma) < X$
Composite material	$BL \leq (50-3\sigma) < X < (150+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	$BL \leq (250-3\sigma) < X$

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3.2 Test for Heavy Metals

– Lead, Cadmium, Hexavalent Chromium and Mercury Tests according to IEC 62321-4:2013+A1:2017 & IEC 62321-5:2013 & IEC 62321-7-1:2015 & IEC 62321-7-2:2017, Analysis was conducted by ICP-OES, UV-VIS.

Element	Total Cadmium [mg/kg]	Total Lead [mg/kg]	Total Mercury [mg/kg]	Hexavalent Chromium [µg/cm ²]	Hexavalent Chromium [mg/kg]
Detection Limit	5	5	5	0.10	5
Limit	100	1000	1000	0.10	1000

Note:

1. All Concentrations express in “mg/kg”(milligram per kilogram), mg/kg ~ ppm.
2. “N.D.” = “Not Detected”.
3. Boiling-water-extraction:
Negative = Absence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is less than 0.10µg with 1cm² sample surface area.
Positive = Presence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is greater than 0.13µg with 1cm² sample surface area.
Inconclusive = the detected concentration in boiling-water-extraction solution is greater than 0.10µg and less than 0.13µg with 1cm² sample surface area.
4. Positive = result be regarded as not comply with RoHS requirement
Negative = result be regarded as comply with RoHS requirement
5. “-” =Not regulated

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3.3 Test for Flame retardants

– Test method: According to IEC 62321-6:2015, extracted by toluene and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting Limit: 5mg/kg]

Test Item		Detection Limit [mg/kg]	RoHS Requirement [mg/kg]
PBBs	Monobromobiphenyl	< 5	Sum of PBBs < 1000
	Dibromobiphenyl	< 5	
	Tribromobiphenyl	< 5	
	Tetrabromobiphenyl	< 5	
	Pentabromobiphenyl	< 5	
	Hexabromobiphenyl	< 5	
	Heptabromobiphenyl	< 5	
	Octabromobiphenyl	< 5	
	Nonabromobiphenyl	< 5	
	Decabromobiphenyl	< 5	
	Sum of PBBs	< 5	
PBDEs	Monobromodiphenyl Ether	< 5	Sum of PBDEs < 1000
	Dibromodiphenyl Ether	< 5	
	Tribromodiphenyl Ether	< 5	
	Tetrabromodiphenyl Ether	< 5	
	Pentabromodiphenyl Ether	< 5	
	Hexabromodiphenyl Ether	< 5	
	Heptabromodiphenyl Ether	< 5	
	Octabromodiphenyl Ether	< 5	
	Nonabromodiphenyl Ether	< 5	
	Decabromodiphenyl Ether	< 5	
	Sum of PBDEs	< 5	

Note:

1. All Concentrations express in “mg/kg” (milligram per kilogram), mg/kg ~ ppm.
2. “<” denotes less than

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3.4 Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP) Content—RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863

Test method: According to IEC 62321-8:2017; Analysis was conducted by GC-MS&LC-MS#.

Element	Di-(2-ethylhexyl) phthalate (DEHP) [mg/kg]	Benzylbutyl phthalate (BBP) [mg/kg]	Dibutyl phthalate (DBP) [mg/kg]	Diisobutyl phthalate(DIBP) [mg/kg]
Detection Limit	50	50	50	50
Limit	1000	1000	1000	1000
Sample 001	N.D.	N.D.	N.D.	N.D.
Sample 003	N.D.	N.D.	N.D.	N.D.
Sample 008	N.D.	N.D.	N.D.	N.D.
Sample 009	N.D.	N.D.	N.D.	N.D.
Sample 010	N.D.	N.D.	N.D.	N.D.
Sample 011	N.D.	N.D.	N.D.	N.D.
Sample 012	N.D.	N.D.	N.D.	N.D.
Sample 013	N.D.	N.D.	N.D.	N.D.
Sample 014	N.D.	N.D.	N.D.	N.D.
Sample 015	N.D.	N.D.	N.D.	N.D.
Sample 017	N.D.	N.D.	N.D.	N.D.
Sample 019	N.D.	N.D.	N.D.	N.D.
Sample 020	N.D.	N.D.	N.D.	N.D.
Sample 021	N.D.	N.D.	N.D.	N.D.
Sample 022	N.D.	N.D.	N.D.	N.D.
Sample 023	N.D.	N.D.	N.D.	N.D.
Sample 024	N.D.	N.D.	N.D.	N.D.
Sample 025	N.D.	N.D.	N.D.	N.D.

Note:

1. All Concentrations express in “mg/kg”(milligram per kilogram), mg/kg ~ ppm.
2. “N.D.” = “Not Detected”.
3. “#” LC-MS is not authorized by CNAS.

Remark: As specified by applicant, to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample. The test report is only for customer research, teaching, internal quality control, product development and other purposes, for reference only.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Photo of the Submitted Sample



*** End of Report ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

