

# Automatic charger, microprocessor rectifier LTC 12V/24V 15A

RTV0400113  
5902270780789  
LX1203



High-quality microprocessor-controlled automatic charger from LTC, allowing for charging batteries installed in passenger cars, boats, and trucks. High quality The LTC charger is made from high-quality materials, providing durability and longevity. The implemented current and thermal protections increase the safety of using the charger, while the battery regeneration function extends its lifespan. The clear LCD display provides the user with all the information regarding the charging process. Applications • VRLA lead-acid batteries (AGM and GEL) • Batteries with wet/dry/gel cell Product features • Microprocessor control, intelligent charging characteristic • Backlit LCD display • Stable maintenance of charging function • Short-circuit protection • Reverse polarity protection • Overheating protection • Insulated clamps, commonly known as crocodiles • Protection against dirt, dust, and moisture

## Specification

**Net weight:** 800 g  
**Working temperature:** -30°C up to 50°C  
**Dimensions (mm) LxWxH:** 168 x 75 x 55 mm  
**Voltage detection:** Szczytowe 12V (2.0-14.5V), Szczytowe 24V (18.0-29.0V)  
**Compatibility with batteries of capacity:** Od 2Ah do 150Ah  
**Supported battery types:** Kwasowo-ołowiowe VRLA (AGM i GEL) z ogniwem  
**Cooling:** Built-in fan  
**Efficiency:** 98%  
**Operating current:** 0-15A  
**Output voltage:** 12V/24V DC  
**Brand:** LTC  
**Model:** LX1203  
**Input voltage:** 110 - 250V, 50/60HZ  
**Warranty:** 24 month



SCAN ME!